# **SAFETY DATA SHEET**



1. Identification

Product identifier C/S GRANULAR™

Other means of identification

Synonyms SMECTITE CLAY \* BENTONITE

Recommended use Not available.

Recommended restrictions None known. Workers (and your customers or users in the case of resale) should be informed of

the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided

as required under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CETCO, an MTI Company

Address 2870 Forbs Avenue

Hoffman Estates, IL 60192

**United States** 

**Telephone** General Information 800 527-9948

Website http://www.cetco.com/
E-mail safetydata@amcol.com

Emergency phone number

Americas 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562,

(Available 24 hours a day. SDS/Product information may not be available for the

Emergency Services.)

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The substance does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Not applicable.

## 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
BENTONITE	SMECTITE CLAY BENTONITE	1302-78-9	100

Material name: C/S GRANULAR™

#### Constituents

Chemical name	CAS number	%
CALCIUM CARBONATE	471-34-1	
SMECTITE GROUP MINERALS	1318-93-0	
QUARTZ	14808-60-7	<= 8
CRISTOBALITE	14464-46-1	<= 2

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. Bentonite is a UVCB substance sub-type 4. The purity of the product is 100 % w/w. Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling.

### **Composition comments**

Occupational Exposure Limits for constituents are listed in Section 8. Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling. The purity of the product is 100% w/w. Impurities are not applicable for a UVCB substance.

#### 4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist. No specific first aid measures noted.

**Skin contact** Get medical attention if irritation develops and persists. No specific first aid measures noted. Wash

skin with soap and water.

Dust in the eyes will cause irritation.

Eye contact No specific first aid measures noted. Flush thoroughly with water. If irritation occurs, get medical

assistance.

**Ingestion** No specific first aid measures noted. Rinse mouth thoroughly. Get medical attention if any

discomfort occurs.

Most important

symptoms/effects, acute and

delayed Indication of immediate

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically.

treatment needed
General information

No hazards which require special first aid measures. Provide general supportive measures and treat symptomatically.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

None known. The product itself does not burn.

Special protective equipment and precautions for firefighters

Material can be slippery when wet.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray. Material can be slippery when wet.

Specific methods

General fire hazards

Cool containers exposed to flames with water until well after the fire is out. No unusual fire or explosion hazards noted. This material will not burn.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Material can be slippery when wet. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Avoid inhalation of dust from the spilled material. For personal protection, see section 8 of the SDS. No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.

Methods and materials for containment and cleaning up

If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. No special environmental precautions required.

### 7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

where dust is formed. Avoid breathing dust. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

No special restrictions on storage with other products. Store in a dry area. Store in original tightly closed container. Keep the container dry. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

No biological exposure limits noted for the ingredient(s).

Biological limit values

Appropriate engineering

controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Use tight fitting goggles if dust is generated. Wear dust-resistant safety goggles where there is

danger of eye contact.

Skin protection

**Hand protection** No protection is ordinarily required under normal conditions of use.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

exceeding the exposure limits.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

### 9. Physical and chemical properties

**Appearance** Lump, granular or fine powder.

Physical state Solid.

Form Powder. Various.

Color Various.
Odor None.

Odor threshold Not applicable.

**pH** 8.5 - 11

**Melting point/freezing point** > 842 °F (> 450 °C) / Not applicable.

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) This product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - upper

Not applicable.

(%)

Material name: C/S GRANULAR™

SDS US

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not applicable. Vapor pressure Vapor density Not applicable. Relative density 2.6 g/cm<sup>3</sup>

Solubility(ies)

Solubility (water) < 0.9 mg/l**Partition coefficient** Not applicable. Not applicable. (n-octanol/water) **Auto-ignition temperature** Not applicable. **Decomposition temperature** > 932 °F (> 500 °C) **Viscosity** Not applicable.

Viscosity temperature Not applicable.

Other information

0.9 - 1.4 g/cm3 **Bulk density Explosive limit** Not applicable. **Explosive properties** Not explosive **Explosivity** Not applicable. Not applicable. Flame extension **Flammability** Not applicable. Flammability (flash back) Not applicable. Flammability (Heat of Not applicable.

combustion)

Flammability (Train fire) Not applicable. Flammability class Not applicable. Not flammable Flash point class **UVCB** Substance Molecular formula

Not applicable. Molecular weight

Oxidizing properties None. 0 % Percent volatile pH in aqueous solution 8.5 - 11

Not applicable. Specific gravity

VOC (Weight %) **CARB** 0 %

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable at normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

Will not occur.

Moisture. Avoid temperatures exceeding the decomposition temperature. Contact with Conditions to avoid

incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

Incompatible materials None known.

**Hazardous decomposition** 

products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation.

Skin contact Not classified.

Eye contact Dust in the eyes will cause irritation.

Material name: C/S GRANULAR™

SDS US

Not classified. Ingestion None known.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

**Product Species Test Results** 

C/S GRANULAR™ (CAS 1302-78-9)

**Acute** 

Inhalation

Dust LC50

Rat

> 5.27 mg/l, 4 hr OECD 436

Oral

Dust

LD50

Rat > 2000 mg/kg OECD 425

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Dust in the eyes will cause irritation. Mild irritant to eyes (according to the modified Kay & Calandra

criteria)

Respiratory or skin sensitization

Respiratory sensitization Not classified. Skin sensitization Not classified. Not classified. Germ cell mutagenicity

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded Carcinogenicity

that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing

regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. The product does not meet the criteria for classification as hazardous according to EC Regulation 1272/2008 and Directive 67/548/EC as

amended. The product contains less than 1% w/w RCS (respirable crystalline silica).

## IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Not classified. Reproductive toxicity Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. **Aspiration hazard** 

## 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

	Species	Test Results
02-78-9)		
EC50	Freshwater algae	> 100 mg/l, 72 hours
EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours
	Daphnia	> 100 mg/l, 48 hours
	Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours
	EC50	Daphnia  Dungeness or edible crab (Cancer

Material name: C/S GRANULAR™ 4959 Version #: 22 Revision date: 04-January-2016 Print date: 04-January-2016

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

 Product
 Species
 Test Results

 Fish
 LC50
 Freshwater fish
 16000 mg/l, 96 hours

 Marine water fish
 2800 - 3200 mg/l, 24 hours

Persistence and degradability Not relevant for inorganic substances

Bioaccumulative potential Will not bio-accumulate.

Mobility in soil Bentonite is almost insoluble and thus presents a low mobility in most soils.

**Mobility in general** The product has poor water-solubility.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Store containers and offer for recycling of material when in accordance with the local

regulations.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

**US federal regulations** 

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: C/S GRANULAR™

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Total food additive
Direct food additive
GRAS food additive

#### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Not regulated.

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

### **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the government.

## 16. Other information, including date of preparation or last revision

Inventory name

Issue date03-October-2013Revision date04-January-2016

Version # 22

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

List of abbreviations

SWERF = Size-Weighted Relevant Fine Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details about the SWERF

method are available at www.crystallinesilica.eu.

4959 Version #: 22 Revision date: 04-January-2016 Print date: 04-January-2016

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

UVCB = a substance of Unknown or Variable composition, Complex reaction products or

Biological materials

For any information on literature references or toxicity/ecotoxicity studies, please contact the References

supplier.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision Information** Product and Company Identification: Alternate Trade Names

Material name: C/S GRANULAR™

SDS US 4959 Version #: 22 Revision date: 04-January-2016 Print date: 04-January-2016